



INTEGRAL detection of the on-going outbursts from 1RXS J180408.9-342058 and GRO J1750-27

Boissay, R.; Chenevez, J.; Wilms, J.; Grinberg, V.; Del Santo, M.; Bazzano, A.; Capitanio, F.; Tarana, A.; Paizis, A.; Watanabe, K.

Total number of authors:

14

Publication date:

2015

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Boissay, R., Chenevez, J., Wilms, J., Grinberg, V., Del Santo, M., Bazzano, A., Capitanio, F., Tarana, A., Paizis, A., Watanabe, K., Rodriguez, R., Götz, D., Kuulkers, E., & Ferrigno, C. (2015, Feb 17). INTEGRAL detection of the on-going outbursts from 1RXS J180408.9-342058 and GRO J1750-27. The Astronomer's telegram No. ATel #7096 <http://www.astronomerstelegam.org/?read=7096>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

[\[Previous](#) | [Next](#) | [ADS](#)]

INTEGRAL detection of the on-going outbursts from 1RXS J180408.9-342058 and GRO J1750-27

ATel #7096; **R. Boissay (ISDC, Switzerland), J. Chenevez (DTU, Denmark), J. Wilms (ECP, Germany), V. Grinberg (MIT, USA), M. Del Santo, A. Bazzano, F. Capitanio, A. Tarana (IASP-INA, Italy), A. Paizis (IASF-INA, Italy), K. Watanabe (FGCU, USA), J. Rodriguez, D. Goetz (CEA, France), E. Kuulkers (ESA/ESAC, Spain), C. Ferrigno (ISDC, Switzerland)**
on 17 Feb 2015; 23:55 UT

Credential Certification: E. Bozzo (enrico.bozzo@unige.ch)

Subjects: X-ray, Transient

[Tweet](#) [Recommend](#) 1

During the observations of the Galactic Center (from 2015 February 16 12:46 to February 17 at 4:25 UTC), INTEGRAL detected the two sources 1RXS J180408.9-342058 (Atel #6997, #7008, #7039) and GRO J1750-27 (Atel #1385, #1400, #6839) which were recently reported to undergo new outbursts.

1RXS J180408.9-342058 was observed in both the IBIS/ISGRI and the JEM-X FoV. A preliminary analysis of the ISGRI and JEM-X data revealed that the source broad-band spectrum (effective exposure time 34.2 ks for ISGRI and 9.3 ks for the two JEM-X) could be described by using a cut-off power-law model. We measured a power-law photon index of 1.4 ± 0.2 and a cut-off energy of 58 ± 9 keV. The estimated fluxes from the spectral analysis were 2.1×10^{-9} erg/cm²/s in the 3-20 keV energy band and 2.2×10^{-9} erg/cm²/s in the 20-100 keV energy band. No type-I X-ray bursts were found in the JEM-X data by scanning the 3-10 keV lightcurve of the source.

GRO J1750-27 was observed by IBIS/ISGRI for an effective exposure time 34.2 ks and by the two JEM-X for a total effective exposure time 9 ks. The ISGRI spectrum of the source could be roughly described with a soft power-law of photon index ~ 4 . The estimated source flux from the spectral fit is 7.4×10^{-10} erg/cm²/s in the 20-60 keV energy band. The 3-10 keV flux estimated from the JEM-X mosaic is of roughly 7×10^{-10} erg/cm²/s.

We also report on the continued detection of the outburst from IGR J17451-3022 (ATel #6451, ATel #7028). JEM-X confirms the detection of the source at 3.7 sigma for 20 ks effective exposure with a flux of 5.2 ± 1.6 mCrab between 3-10 keV (corresponding to roughly 7.3×10^{-11} erg/cm²/s). This is slightly below the flux (6.5 mCrab) the source had the last time INTEGRAL saw it at the end of October 2014. The source is still undetected above 10 keV at a 5-sigma upper limit of 2 mCrab between 10-20 keV (corresponding to roughly 1.8×10^{-11} erg/cm²/s).

Finally, we note that the INTEGRAL transient IGR J17454-2919 (ATels #6530, #6574, #6602) is not detected by the two JEM-X in the current observations of the Galactic Center (effective exposure time 19 ks). We estimated a 5-sigma upper limit on the source flux of 4 mCrab in the 3-10 keV energy band (corresponding to roughly 5.6×10^{-11} erg/cm²/s) and 2 mCrab in the 10-20 keV energy band (corresponding to roughly 1.8×10^{-11} erg/cm²/s).

Additional INTEGRAL observations of the Galactic Center are planned for the coming weeks.

Related

- 7570 [IGR J17451-3022 returning to quiescence](#)
- 7361 [Discovery of eclipses in the X-ray transient IGR J17451-3022](#)
- 7352 [The neutron star LMXB 1RXS J180408.9-342058 transitioned to a soft X-ray state](#)
- 7255 [Radio detection of the transient neutron star LMXB 1RXS J180408.9-342058](#)
- 7100 [Optical observations of the transient 1RXS J180408.9-342058](#)
- 7096 [INTEGRAL detection of the on-going outbursts from 1RXS J180408.9-342058 and GRO J1750-27](#)
- 7039 [Swift observations of 1RXS J180408.9-342058](#)
- 7028 [Continuing outburst of Galactic transient IGR J17451-3022](#)
- 7020 [Chandra position of IGR J17454-2919 and discovery of a possible NIR counterpart](#)
- 7008 [MAXI/GSC observation of 1RXS J180408.9-342058 in outburst](#)
- 6997 [Swift/BAT detects an outburst from the neutron star binary 1RXS J180408.9-342058](#)
- 6839 [New Outburst of the Be/X-ray Transient GRO J1750-27 Detected with Fermi/GBM](#)
- 6602 [INTEGRAL/JEM-X sees enhanced activity in the Galactic center region: SAX J1747.0-2853 and IGR J17454-2919](#)
- 6574 [Hard X-ray spectral and timing properties of IGR J17454-2919 consistent with a black hole in the hard state](#)
- 6533 [Chandra Localization of IGR J17451-3022](#)
- 6530 [IGR J17454-2919: a new X-ray transient found by INTEGRAL/JEM-X close to the Galactic Center](#)
- 6501 [New Galactic transient IGR J17451-3022 still soft](#)
- 6486 [Detection of spectral hardening in IGR J17451-3022; evidence for a LMXB](#)
- 6469 [Swift observations of the ongoing outburst of IGR J17451-3022](#)
- 6459 [Soft, absorbed X-ray spectra of the new transient IGR J17451-3022](#)
- 6451 [A new X-ray transient, IGR J17451-3022, discovered by INTEGRAL/JEM-X near the Galactic Centre](#)
- 5041 [MAXI/GSC detection of an X-ray outburst probably from SAX J1747.0-2853 and Swift followup observation of the Galactic center region](#)

4622	MAXI/GSC detection of a possible superburst from SLX 1735-269
4085	Swift observations of 1RXS J180408.9-342058; return to quiescence
4050	INTEGRAL catches a type-I X-ray burst from the unclassified X-ray source 1RXS J180408.9-342058
3930	INTEGRAL Bulge monitoring program detects several active transients with JEM-X
3842	MAXI/GSC detects a quasi-regular outburst and a possible soft state transition in H 1743-322
3646	INTEGRAL Galactic Bulge monitoring: transient activity from KS 1741-293, MXB 1730-335, and IGR J17498-2921
3263	IGR J17464-3213 (= H1743-322) is active again
3217	SAX J1747.0-2853: 'normal' thermonuclear bursts resumed
3183	First superburst observed by INTEGRAL, from SAX J1747.0-2853
3172	INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900
3123	MAXI/GSC detects an X-ray outburst from the Galactic center region, GRO J1744-28/MAXI J1745-288
3098	MAXI/GSC detects renewed activity from SLX 1746-331
2596	Discovery of the orbital period in the Swift/BAT data of the highly absorbed HMXB IGR J17354-3255.
2058	Swift/BAT reports renewed activity from H 1743-322
2019	Swift detection of an X-ray transient possibly associated with IGR J17354-3255
1829	XMM-Newton Observations of H1743-322
1808	A state change of H1743-322 confirmed by INTEGRAL observations
1804	A state change of the black-hole transient H1743-322
1780	RXTE observations of the black hole candidate H1743-322 in its rising phase of the outburst
1779	H1743-322 in stable outburst phase
1766	Renewed radio activity from H1743-322 observed with the ATCA
1745	More INTEGRAL observations of H1743-322/IGR J17464-3213: evolution of the source into outburst
1739	INTEGRAL spots renewed activity from H1743-322
1651	Kilohertz QPOs, spectral state transitions and the distance to the neutron star X-ray transient IGR J17473-2721.
1633	Confirmation of the NIR counterparts to SLX 1746-331 and XTE J1810-189
1513	Chandra detects Swift J174535.5-290135.6 in a relatively bright state
1471	Earlier activity from XTE J1739-302/IGR J17391-3021 detected by INTEGRAL

1468	Continuous brightening of IGR J17473-2721
1466	Swift observes a new outburst from the Supergiant Fast X-ray Transient XTEJ1739-302/IGRJ17391-3021
1461	Hard X-ray activity of IGR J17473-2721
1460	RXTE Confirms Persistent Activity of Burster IGR J17473-2721
1459	Swift/XRT follow-up observations of IGR J17473-2721
1445	SuperAGILE detects an X-ray burst from a position consistent with IGR J17473-2721
1414	H1743-322 back to the quiescence
1401	Swift observations of the continuing outburst of GRO J1750-27
1400	Further observations of GRO J1750-27 (AX J1749.1-2639) with INTEGRAL
1398	Recent activity of the Rapid Burster (MXB 1730-335)
1387	Swift/XRT observation of H1743-322
1385	INTEGRAL Galactic bulge monitoring observations of GRO J1750-27 (AX J1749.1-2639), H1743-322 and SLX 1746-331
1384	On-going radio observations of H1743-322
1378	Galactic black hole transient H1743-322 in transition to the hard state
1376	Swift/BAT Detects Increased Activity from the Accreting Pulsar GRO J1750-27
1352	Further radio observations of H1743-322
1349	Radio detection of the black hole transient H 1743-322 in outburst.
1348	Galactic black hole transients H1743-322 and 4U 1630-47 in outburst
1266	Recent and past activity of the supergiant fast X-ray transient IGR J17544-2619 as seen by INTEGRAL
1252	Near-infrared counterpart candidate to SLX 1746-331
1237	Swift/XRT localization of SLX 1746-331
1235	SLX 1746-331 In Outburst
1228	A new outburst of the recurrent neutron star transient SAX J1747.0-2853
1185	INTEGRAL detects hard X-rays from SAX J1810.8-2609 during its current outburst
1058	Long duration outbursts from the two X-ray bursters AX J1745.6-2901 and GRS 1741.9-2853 suggested by XMM-Newton observations
1013	Chandra Detection of Three Enigmatic X-ray Transients: GRS 1741.9-2853,
1008	IGR J17453-2853 = Granat 1741.9-2853?
1006	Renewed activity of the Galactic center transients Swift J174535.5-290135.6 and GRS 1741.9-2853 as observed with Swift/XRT

1005	Two active X-ray transients in the Galactic Center region as seen by INTEGRAL
892	Renewed activity of the very faint X-ray transient CXOGC J174535.5-290124 and continued activity of the neutron-star X-ray transient SAX J1747.0-2853
886	Further INTEGRAL observations of IGR J17497-2821
874	New INTEGRAL source, IGR J17354-3255, and continuation of the INTEGRAL Galactic Bulge monitoring program
756	INTEGRAL detects SWIFT J174535.5-290135.6
753	Swift/XRT detection of a transient source in the Galactic Center
593	Brightening of H1743-322 and the Rapid Burster
576	H1743-322 X-ray Rise
498	Discovery of XTE J1747-274
482	Superburst in 4U1608-52
467	New X-ray transient IGR J17473-2721 discovered with INTEGRAL
143	SLX 1746-331
136	Clarification on the association between IGR J17464-3213 and H1743-322
132	IGR J17464-3213

jerome@dsri.dk

Logout

[[Telegram Index](#)]

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

rrutledge@astronomerstelegam.org

dfox@astronomerstelegam.org

mansi@astronomerstelegam.org